

## TOOLS for UR28M V1.0.1 for Windows Release Notes

---

TOOLS for UR28M V1.0.1 for Windows consists of the following programs.

- Yamaha Steinberg USB Driver V1.5.2
- Steinberg UR28M Applications V1.0.1

Steinberg UR28M Applications V1.0.1 consists of the following programs.

- Steinberg UR28M Extension V1.0.1
- Steinberg dspMixFx UR28M V1.0.1
- VST Plug-Ins V1.0.1

### Contents

[System Requirements for Software](#)

[Main Revisions and Enhancements](#)

### System Requirements for Software

#### NOTE

- Note that the system requirements may be slightly different from those described below depending on the particular operating system.

OS	Windows XP Professional SP3/Windows XP Home Edition SP3/ Windows Vista SP2 (32-bit/64-bit)/ Windows 7 SP0/SP1 (32-bit/64-bit)
CPU	Pentium/Athlon 2GHz or faster (dual core processor recommended)
Memory	1GB or more (2GB or more on Windows 7 64-bit)
Display Resolution	1280 x 800—full color
Interface	Equipped with a USB connector
Hard Disk	Free disk space of 800MB or more; high-speed hard disk
Other	Cubase version 5.5 or later when using the link function between the device and Cubase.

### Main Revisions and Enhancements

#### V1.0.0 to V1.0.1

The main fixes and enhancements for each program are explained below.

#### Yamaha Steinberg USB Driver

#### V1.5.1 to V1.5.2

- Solved some minor problems.

#### V1.5.0 to V1.5.1

- Now supports Steinberg UR824.
- Changed the default buffer size of the ASIO driver from 768 samples to 512 samples.
- Solved some minor problems.

#### NOTE

Yamaha Steinberg USB Driver V1.5.1 is the version which is included in the TOOLS for UR824 CD-ROM (labeled "YD307A0") in the Steinberg UR824 package.

### **Steinberg UR28M Extension**

#### V1.0.0 to V1.0.1

- Solved the problem in which the upper part of the Mixer window would not be displayed when opening the Cubase project template file "Steinberg UR28M multi channel recording."
- Solved the problem in which the settings on some Cubase project template files would not be correct.
- Solved the problem in which the preset data of Sweet Spot Data might not be displayed properly on the Channel Strip of the DSP effect.
- Solved the problem in which the settings on dspMixFx UR28M might be initialized when opening more than one Cubase project file sequentially.
- Solved the problem in which the parameter of "OUTPUT LEVEL" displayed on dspMixFx UR28M might change to "-∞" when opening a Cubase project file.
- Solved the problems which would occur when both the UR28M Extension and the MR Extension were being installed. If you use the Steinberg MR816 CSX/MR816 X, download and install the TOOLS for MR V1.7.2 or later from the Steinberg web site.
- Solved some other minor problems.

### **Steinberg dspMixFx UR28M**

#### V1.0.0 to V1.0.1

- Solved some minor problems.

### **VST Plug-Ins**

#### V1.0.0 to V1.0.1

- Solved some minor problems.

---

Company and product names that appear in this document are the trademarks or registered trademarks of their respective companies.

(C) 2011 Yamaha Corporation All Rights Reserved.